

Fig.1a.




Fig.1b.




Fig.1c.






Fig.1d.



BEST AVAILABLE COPY

Fig.4.



2/12

Fig.2a.

Mammogram presenting a lump.





Fig.2b.

The SMF that is generated from
the previous mammogram.

The ducts become ridges, and the
mass a mountainous area.



BEST AVAILABLE COPY

Fig.3b.

SMF of the breast




Fig.3a.

Original Mammogram



BEST AVAILABLE COPY

Fig.5a.



Fig.5b.




Fig.6a.





Fig.6b.



BEST AVAILABLE COPY

Fig.6c.





Fig.6d.



BEST AVAILABLE COPY

Fig.7a.




Fig.7b.




Fig.7c.




Fig.7d.





Fig. 8.



BEST AVAILABLE COPY

Fig.9a.






Fig.9b.




BEST AVAILABLE COPY

Fig.9c.



The diffused SMF with $k=15$,
 $\sigma=0.6$ and $t=5$ and its
corresponding surface plot; Fig.9d.

Fig.9d.



BEST AVAILABLE COPY

Fig.10a.




Fig.10b.




Fig.10c.




Fig.10d.




Fig.10e.





Fig.10f.



BEST AVAILABLE COPY

Fig.11a.




Fig.11b.




Fig.11c.



Fig.11d.




Fig.11e.





Fig.11f.



BEST AVAILABLE COPY

Fig.11g.




Fig.11h.




Fig.11i.





Fig.11j.



BEST AVAILABLE COPY